

GasAlertMicro 5 Series



WATER RESISTANT

Standard Package Contents

- Detector complete with specified sensor(s), stainless steel alligator clip and concussion-proof housing
- Specified battery option
- Charging adaptor (with rechargeable battery option)
- Screwdriver
- Calibration/test adaptor and hose
- Manual
- Multi-language manual CD

Protect yourself

Compact and lightweight, GasAlertMicro 5 Series instruments are available in diffusion or pumped instruments. Each of the portable gas detectors simultaneously monitors and displays up to five potential atmospheric hazards. The GasAlertMicro 5 PID model also identifies PID detectable VOCs, while the GasAlertMicro 5 IR uses an NDIR sensor to monitor CO₂ levels. Adaptable to a variety of applications, GasAlertMicro 5 Series instruments have an extensive selection of user-settable field options. Use the passcode function to prevent unauthorized modifications of the instrument's settings. Compatible with BW's MicroDock II automatic test and calibration system, the GasAlertMicro 5 is unparalleled in its versatility, performance and overall value.



General Specifications

Size	5.7 x 2.9 x 1.5 in. / 14.5 x 7.4 x 3.8 cm
Weight	13.1 oz. / 370 g
Temperature	-4 to +122°F / -20 to +50°C -14 to +104°F / -10 to +40°C (PID)
Certifications and approvals	<p> Class I, Div. 1, Gr. A, B, C, D</p> <p> American Bureau of Shipping - Toxic & PID only</p> <p>ATEX: II 1 G Ex ia IIC T4*</p> <p> II 2 G - IR model only Ex d ia IIC T4*</p> <p>IECEX: Ex ia IIC T4* Ex d ia IIC T4* - IR model only</p> <p>INMETRO: BR-Ex ia IIC T4* BR-Ex d ia IIC T4* - IR model only</p> <p>CE: European Conformity</p> <p><small>*Temperature codes may vary as a function of the batteries installed. Please see owner's manual for a complete listing of compatible batteries and codes.</small></p>
Warranty	Full 2 year warranty including sensors (1 year Cl ₂ , NH ₃ , O ₃ , ETO, ClO ₂ & PID sensor)

This product available from:

Optimum Energy Products Ltd.

Online: www.CanarySense.com

Toll Free: 1-877-766-5412

VOCs

CO₂

LEL

H₂S

CO

O₂

SO₂

PH₃

NH₃

NO₂

HCN

Cl₂

ClO₂

O₃

GasAlertMicro 5 Detector	Order Number	Price (USD)
%LEL, O ₂ , H ₂ S, CO, SO ₂ - alkaline batteries	M5-XWSY-A-D-0-Y-N-00	\$1,200.00
%LEL, O ₂ , H ₂ S, CO, SO ₂ - lithium polymer battery	M5-XWSY-R-D-0-Y-N-00	\$1,350.00
%LEL, O ₂ , H ₂ S, CO, SO ₂ - lithium polymer battery and pump	M5-XWSY-R-P-0-Y-N-00	\$1,475.00
%LEL, O ₂ , H ₂ S, CO, SO ₂ - lithium polymer battery and datalogging	M5-XWSY-R-D-D-Y-N-00	\$1,450.00
%LEL, O ₂ , H ₂ S, CO, SO ₂ - lithium polymer battery, pump and datalogging	M5-XWSY-R-P-D-Y-N-00	\$1,575.00
%LEL, O ₂ , H ₂ S, CO, NH ₃ - alkaline batteries	M5-XWAY-A-D-0-Y-N-00	\$1,300.00
%LEL, O ₂ , H ₂ S, CO, NH ₃ - lithium polymer battery	M5-XWAY-R-D-0-Y-N-00	\$1,450.00
%LEL, O ₂ , H ₂ S, CO, NH ₃ - lithium polymer battery and pump	M5-XWAY-R-P-0-Y-N-00	\$1,575.00
%LEL, O ₂ , H ₂ S, CO, NH ₃ - lithium polymer battery and datalogging	M5-XWAY-R-D-D-Y-N-00	\$1,550.00
%LEL, O ₂ , H ₂ S, CO, NH ₃ - lithium polymer battery, pump and datalogging	M5-XWAY-R-P-D-Y-N-00	\$1,675.00
%LEL, O ₂ , H ₂ S, CO, Cl ₂ - alkaline batteries	M5-XWCY-A-D-0-Y-N-00	\$1,200.00
%LEL, O ₂ , H ₂ S, CO, Cl ₂ - lithium polymer battery	M5-XWCY-R-D-0-Y-N-00	\$1,350.00
%LEL, O ₂ , H ₂ S, CO, Cl ₂ - lithium polymer battery and pump	M5-XWCY-R-P-0-Y-N-00	\$1,475.00
%LEL, O ₂ , H ₂ S, CO, Cl ₂ - lithium polymer battery and datalogging	M5-XWCY-R-D-D-Y-N-00	\$1,450.00
%LEL, O ₂ , H ₂ S, CO, Cl ₂ - lithium polymer battery, pump and datalogging	M5-XWCY-R-P-D-Y-N-00	\$1,575.00
%LEL, O ₂ , H ₂ S, CO - alkaline batteries	M5-XW0Y-A-D-0-Y-N-00	\$905.00
%LEL, O ₂ , H ₂ S, CO - alkaline batteries and pump	M5-XW0Y-A-P-0-Y-N-00	\$1,030.00
%LEL, O ₂ , H ₂ S, CO - alkaline batteries, pump and datalogging	M5-XW0Y-A-P-D-Y-N-00	\$1,130.00
%LEL, O ₂ , H ₂ S, CO - lithium polymer battery	M5-XW0Y-R-D-0-Y-N-00	\$1,055.00
%LEL, O ₂ , H ₂ S, CO - lithium polymer battery and pump	M5-XW0Y-R-P-0-Y-N-00	\$1,180.00
%LEL, O ₂ , H ₂ S, CO - lithium polymer battery and datalogging	M5-XW0Y-R-D-D-Y-N-00	\$1,155.00
%LEL, O ₂ , H ₂ S, CO - lithium polymer battery, pump and datalogging	M5-XW0Y-R-P-D-Y-N-00	\$1,280.00

GasAlertMicro 5 Region Codes

For orders outside North America, change order number component “-N” to:

“-E”	Europe	“-B”	Brazil
“-U”	United Kingdom	“-X”	Other region with 3-pin UK plug
“-A”	Australia	“-Y”	Other region with 2-pin UK plug
“-C”	China/New Zealand		

Note: Listed above are commonly ordered instrument configurations. To create a custom GasAlertMicro 5 detector, use the configurator table on the next page or contact BW Technologies for a copy of the electronic pricing and order number configurator.

Gas Legend

%LEL	Combustible	ClO ₂	Chlorine dioxide
O ₂	Oxygen	NH ₃	Ammonia
H ₂ S	Hydrogen sulfide	PH ₃	Phosphine
CO	Carbon monoxide	HCN	Hydrogen cyanide
SO ₂	Sulfur dioxide	NO ₂	Nitrogen dioxide
Cl ₂	Chlorine	O ₃	Ozone



GasAlertMicro 5
Diffusion version with datalogging



GasAlertMicro 5
Pump version

GasAlertMicro⁵ Order Number and Pricing Configurator

Sensor - Toxic 2		
None (dummy sensor)	\$0.00	0
CO and H ₂ S (TwinTox dual channel)	\$250.00	Y
H ₂ S (hydrogen sulfide)	\$190.00	H
CO (carbon monoxide)	\$200.00	M
SO ₂ (sulfur dioxide)	\$295.00	S
Cl ₂ (chlorine)	\$295.00	C
ClO ₂ (chlorine dioxide)	\$295.00	V
NH ₃ (ammonia)	\$395.00	A
PH ₃ (phosphine)	\$295.00	P
HCN (hydrogen cyanide)	\$295.00	Z
NO ₂ (nitrogen dioxide)	\$295.00	D
O ₃ (ozone)	\$485.00	G

Sensor - Toxic 1		
None (dummy sensor)	\$0.00	0
H ₂ S (hydrogen sulfide)	\$190.00	H
CO (carbon monoxide)	\$200.00	M
SO ₂ (sulfur dioxide)	\$295.00	S
Cl ₂ (chlorine)	\$295.00	C
ClO ₂ (chlorine dioxide)	\$295.00	V
NH ₃ (ammonia)	\$395.00	A
PH ₃ (phosphine)	\$295.00	P
HCN (hydrogen cyanide)	\$295.00	Z
NO ₂ (nitrogen dioxide)	\$295.00	D
O ₃ (ozone)	\$485.00	G

Sensor - Combustible Gases		
None (dummy sensor)	\$0.00	0
%LEL (combustibles)	\$155.00	W
None	\$0.00	0
O ₂ (oxygen)	\$120.00	X

Base Unit		
Base unit	\$380.00	M5

A	\$0.00	Alkaline
R	\$150.00	Rechargeable lithium polymer battery pack and cradle charger
V	\$220.00	Rechargeable lithium polymer battery pack, cradle charger and vehicle adaptor

Sampling		
D	\$0.00	Diffusion
P	\$125.00	Motorized sampling pump

Datalogging		
0	\$0.00	None
D	\$100.00	Datalogging monitor (incl. Fleet Manager II software)

Housing		
Y		Yellow housing
B		Black housing
Region		
N		North America
E		Europe
C		China/New Zealand
U		United Kingdom
A		Australia
B		Brazil
X		Other region with 3-pin UK plug
Y		Other region with 2-pin EU plug

Order number: - - - - - - - - - -

Price (USD): + + + + + + + + + + + =

For example, the order number for a GasAlertMicro 5 configured for O₂, %LEL, Cl₂, H₂S and CO and equipped with a rechargeable lithium polymer battery pack and cradle charger, motorized sampling pump, datalogging, yellow housing and North American power connectivity would be M5-XWCY-R-P-D-Y-N-00 and the price would be \$1,575.00.

USA 1 888 749 8878 Europe +44 (0)1295 700 300 China +86 10 6786 7305
 Canada 1 800 663 4164 France +33 (0) 442 98 17 70 S.E. Asia +65 6580 3468
 Australia +1 300 729 450 Middle East +971 4 8871766 Other Countries +1 403 248 9226

www.gasmonitors.com info@gasmonitors.com



GasAlertMicro 5 PID Detector

	Order Number	Price (USD)
VOCs, %LEL, O ₂ , H ₂ S, CO - alkaline batteries	M5PID-XWQY-A-D-0-Y-N-00	\$1,520.00
VOCs, %LEL, O ₂ , H ₂ S, CO - alkaline batteries and pump	M5PID-XWQY-A-P-0-Y-N-00	\$1,645.00
VOCs, %LEL, O ₂ , H ₂ S, CO - alkaline batteries, pump and datalogging	M5PID-XWQY-A-P-D-Y-N-00	\$1,745.00
VOCs, %LEL, O ₂ , H ₂ S, CO - lithium polymer battery	M5PID-XWQY-R-D-0-Y-N-00	\$1,670.00
VOCs, %LEL, O ₂ , H ₂ S, CO - lithium polymer battery and pump	M5PID-XWQY-R-P-0-Y-N-00	\$1,795.00
VOCs, %LEL, O ₂ , H ₂ S, CO - lithium polymer battery, pump and datalogging	M5PID-XWQY-R-P-D-Y-N-00	\$1,895.00
VOCs, %LEL, O ₂ - alkaline batteries	M5PID-XWQ0-A-D-0-Y-N-00	\$1,270.00
VOCs, %LEL, O ₂ - alkaline batteries and pump	M5PID-XWQ0-A-P-0-Y-N-00	\$1,395.00
VOCs, %LEL, O ₂ - alkaline batteries, pump and datalogging	M5PID-XWQ0-A-P-D-Y-N-00	\$1,495.00
VOCs, %LEL, O ₂ - lithium polymer battery	M5PID-XWQ0-R-D-0-Y-N-00	\$1,420.00
VOCs, %LEL, O ₂ - lithium polymer battery and pump	M5PID-XWQ0-R-P-0-Y-N-00	\$1,545.00
VOCs, %LEL, O ₂ - lithium polymer battery, pump and datalogging	M5PID-XWQ0-R-P-D-Y-N-00	\$1,645.00
VOCs - alkaline batteries	M5PID-00Q0-A-D-0-Y-N-00	\$995.00
VOCs - alkaline batteries and pump	M5PID-00Q0-A-P-0-Y-N-00	\$1,120.00
VOCs - alkaline batteries, pump and datalogging	M5PID-00Q0-A-P-D-Y-N-00	\$1,220.00
VOCs - lithium polymer battery	M5PID-00Q0-R-D-0-Y-N-00	\$1,145.00
VOCs - lithium polymer battery and pump	M5PID-00Q0-R-P-0-Y-N-00	\$1,270.00
VOCs - lithium polymer battery, pump and datalogging	M5PID-00Q0-R-P-D-Y-N-00	\$1,370.00

GasAlertMicro 5 PID Region Codes

For orders outside North America, change order number component “-N” to:

“-E”	Europe	“-B”	Brazil
“-U”	United Kingdom	“-X”	Other region with 3-pin UK plug
“-A”	Australia	“-Y”	Other region with 2-pin UK plug
“-C”	China/New Zealand		

Note: Listed above are commonly ordered instrument configurations. To create a custom GasAlertMicro 5 PID detector, use the configurator table on the next page or contact BW Technologies for a copy of the electronic pricing and order number configurator.

Gas Legend

VOCs	Volatile organic compounds	ClO ₂	Chlorine dioxide
%LEL	Combustible	NH ₃	Ammonia
O ₂	Oxygen	PH ₃	Phosphine
H ₂ S	Hydrogen sulfide	HCN	Hydrogen cyanide
CO	Carbon monoxide	NO ₂	Nitrogen dioxide
SO ₂	Sulfur dioxide	O ₃	Ozone
Cl ₂	Chlorine		



GasAlertMicro 5 PID
Diffusion version with datalogging



GasAlertMicro 5 PID
Pump version with datalogging


GasAlertMicro⁵ PID Order Number and Pricing Configurator

Sensor - Toxic 2			Battery		
None (dummy sensor)	\$0.00	0	A	\$0.00	Alkaline
CO and H ₂ S (TwinTox dual channel)	\$250.00	Y	R	\$150.00	Rechargeable lithium polymer battery pack and cradle charger
H ₂ S (hydrogen sulfide)	\$190.00	H	V	\$220.00	Rechargeable lithium polymer battery pack, cradle charger and vehicle adaptor
CO (carbon monoxide)	\$200.00	M	Sampling		
SO ₂ (sulfur dioxide)	\$295.00	S	D	\$0.00	Diffusion
Cl ₂ (chlorine)	\$295.00	C	P	\$125.00	Motorized sampling pump
ClO ₂ (chlorine dioxide)	\$295.00	V	Datalogging		
NH ₃ (ammonia)	\$395.00	A	0	\$0.00	None
PH ₃ (phosphine)	\$295.00	P	D	\$100.00	Datalogging monitor (incl. Fleet Manager II software)
HCN (hydrogen cyanide)	\$295.00	Z	Housing		
NO ₂ (nitrogen dioxide)	\$295.00	D	Y	Yellow housing	
O ₃ (ozone)	\$485.00	G	B	Black housing	
Sensor - Toxic 1			Region		
None (dummy sensor)	\$0.00	0	N	North America	
PID (photoionization detector) for VOCs (volatile organic compounds)	\$595.00	Q	E	Europe	
Sensor - Combustible Gases			C	China/New Zealand	
None (dummy sensor)	\$0.00	0	U	United Kingdom	
%LEL (combustibles)	\$155.00	W	A	Australia	
Sensor - Oxygen			B	Brazil	
None	\$0.00	0	X	Other region with 3-pin UK plug	
O ₂ (oxygen)	\$120.00	X	Y	Other region with 2-pin EU plug	
Base Unit					
Base unit	\$400.00	M5PID			

Order number: - - - - - - - - - -

Price (USD): + + + + + + + + + + =

For example, the order number for a GasAlertMicro 5 PID configured for O₂, %LEL, VOCs, H₂S and CO and equipped with a rechargeable lithium polymer battery pack and cradle charger, motorized sampling pump, datalogging, yellow housing and North American power connectivity would be M5PID-XWQY-R-P-D-Y-N-00 and the price would be \$1,895.00.

USA	1 888 749 8878	Europe	+44 (0)1295 700 300	China	+86 10 6786 7305	
Canada	1 800 663 4164	France	+33 (0) 442 98 17 70	S.E. Asia	+65 6580 3468	
Australia	+1 300 729 450	Middle East	+971 4 8871766	Other Countries	+1 403 248 9226	
www.gasmonitors.com			info@gasmonitors.com			

GasAlertMicro 5 IR Detector

	Order Number	Price (USD)
CO ₂ (IR), %LEL, O ₂ , H ₂ S, CO - alkaline batteries	M5IR-XWBY-A-D-0-Y-N-00	\$1,730.00
CO ₂ (IR), %LEL, O ₂ , H ₂ S, CO - lithium polymer battery	M5IR-XWBY-R-D-0-Y-N-00	\$1,880.00
CO ₂ (IR), %LEL, O ₂ , H ₂ S, CO - lithium polymer battery and pump	M5IR-XWBY-R-P-0-Y-N-00	\$2,005.00
CO ₂ (IR), %LEL, O ₂ , H ₂ S, CO - lithium polymer battery and datalogging	M5IR-XWBY-R-D-D-Y-N-00	\$1,980.00
CO ₂ (IR), %LEL, O ₂ , H ₂ S, CO - lithium polymer battery, pump and datalogging	M5IR-XWBY-R-P-D-Y-N-00	\$2,105.00
CO ₂ (IR), %LEL, O ₂ , H ₂ S - alkaline batteries	M5IR-XWBH-A-D-0-Y-N-00	\$1,670.00
CO ₂ (IR), %LEL, O ₂ , H ₂ S - lithium polymer battery	M5IR-XWBH-R-D-0-Y-N-00	\$1,820.00
CO ₂ (IR), %LEL, O ₂ , H ₂ S - lithium polymer battery and pump	M5IR-XWBH-R-P-0-Y-N-00	\$1,945.00
CO ₂ (IR), %LEL, O ₂ , H ₂ S - lithium polymer battery and datalogging	M5IR-XWBH-R-D-D-Y-N-00	\$1,920.00
CO ₂ (IR), %LEL, O ₂ , H ₂ S - lithium polymer battery, pump and datalogging	M5IR-XWBH-R-P-D-Y-N-00	\$2,045.00
CO ₂ (IR), %LEL, O ₂ - alkaline batteries	M5IR-XWB0-A-D-0-Y-N-00	\$1,480.00
CO ₂ (IR), %LEL, O ₂ - lithium polymer battery	M5IR-XWB0-R-D-0-Y-N-00	\$1,630.00
CO ₂ (IR), %LEL, O ₂ - lithium polymer battery and pump	M5IR-XWB0-R-P-0-Y-N-00	\$1,755.00
CO ₂ (IR), %LEL, O ₂ - lithium polymer battery and datalogging	M5IR-XWB0-R-D-D-Y-N-00	\$1,730.00
CO ₂ (IR), %LEL, O ₂ - lithium polymer battery, pump and datalogging	M5IR-XWB0-R-P-D-Y-N-00	\$1,855.00
CO ₂ (IR) - alkaline batteries	M5IR-00B0-A-D-0-Y-N-00	\$1,205.00
CO ₂ (IR) - lithium polymer battery	M5IR-00B0-R-D-0-Y-N-00	\$1,355.00
CO ₂ (IR) - lithium polymer battery and pump	M5IR-00B0-R-P-0-Y-N-00	\$1,480.00
CO ₂ (IR) - lithium polymer battery and datalogging	M5IR-00B0-R-D-D-Y-N-00	\$1,455.00
CO ₂ (IR) - lithium polymer battery, pump and datalogging	M5IR-00B0-R-P-D-Y-N-00	\$1,580.00

GasAlertMicro 5 IR Region Codes

For orders outside North America, change order number component “-N” to:

“-E”	Europe	“-B”	Brazil
“-U”	United Kingdom	“-X”	Other region with 3-pin UK plug
“-A”	Australia	“-Y”	Other region with 2-pin UK plug
“-C”	China/New Zealand		

Note: Listed above are **commonly ordered** instrument configurations. To create a custom GasAlertMicro 5 IR detector, use the configurator table on the next page or contact BW Technologies for a copy of the electronic pricing and order number configurator.

Gas Legend

CO ₂	Carbon dioxide	CO	Carbon monoxide
%LEL	Combustible	SO ₂	Sulfur dioxide
O ₂	Oxygen	NH ₃	Ammonia
H ₂ S	Hydrogen sulfide	O ₃	Ozone



GasAlertMicro 5 IR
Diffusion version with datalogging

GasAlertMicro 5 IR
Pump version with datalogging

GasAlertMicro⁵IR Order Number and Pricing Configurator

Sensor - Toxic 2			Battery				
None (dummy sensor)	\$0.00	0	A	\$0.00	Alkaline		
CO and H ₂ S (TwinTox dual channel)	\$250.00	Y	R	\$150.00	Rechargeable lithium polymer battery pack and cradle charger		
H ₂ S (hydrogen sulfide)	\$190.00	H	V	\$220.00	Rechargeable lithium polymer battery pack, cradle charger and vehicle adaptor		
CO (carbon monoxide)	\$200.00	M	Sampling				
SO ₂ (sulfur dioxide)	\$295.00	S	D	\$0.00	Diffusion		
NH ₃ (ammonia)	\$395.00	A	P	\$125.00	Motorized sampling pump		
O ₃ (ozone)	\$485.00	G	Datalogging				
Sensor - Toxic 1			0			\$0.00	None
None (dummy sensor)	\$0.00	0	D			\$100.00	Datalogging monitor (incl. Fleet Manager II software)
IR (infrared) for CO ₂ (carbon dioxide)	\$755.00	B	Housing				
Sensor - Combustible Gases			Y			Yellow housing	
None (dummy sensor)	\$0.00	0	B			Black housing	
%LEL (combustibles)	\$155.00	W	Region				
Sensor - Oxygen			N			North America	
None	\$0.00	0	E			Europe	
O ₂ (oxygen)	\$120.00	X	C			China/New Zealand	
Base Unit			U			United Kingdom	
Base unit	\$450.00	M5IR	A			Australia	
			B			Brazil	
			X			Other region with 3-pin UK plug	
			Y			Other region with 2-pin EU plug	

Order number: - - - - - - - - - -

Price (USD): + + + + + + + + + + =

For example, the order number for a GasAlertMicro 5 IR configured for O₂, %LEL, CO₂, H₂S and CO and equipped with a rechargeable lithium polymer battery pack and cradle charger, motorized sampling pump, datalogging, yellow housing and North American power connectivity would be M5IR-XWBY-R-P-D-Y-N-00 and the price would be \$2,105.00.

USA	1 888 749 8878	Europe	+44 (0)1295 700 300	China	+86 10 6786 7305	
Canada	1 800 663 4164	France	+33 (0) 442 98 17 70	S.E. Asia	+65 6580 3468	
Australia	+1 300 729 450	Middle East	+971 4 8871766	Other Countries	+1 403 248 9226	
www.gasmonitors.com			info@gasmonitors.com			

GasAlertMicro 5 Series

5 - GAS DETECTOR

Confined Space Kit

	Order Number	Price (USD)
GasAlertMicro 5 Series deluxe confined space kit <i>Detector and calibration gas sold separately</i>	M5-CK-DL	\$325.00
Carrying case for GasAlertMicro 5 Series with foam and lid insert	M5-CK-CC	\$145.00

Carrying Accessories

	Order Number	Price (USD)
Concussion-proof boot, diffusion units	GA-BM5-1	\$40.00
Concussion-proof boot, pump units	GA-BM5-2	\$40.00
Carrying holster	GA-HM5	\$20.00
Alligator-style clip (stainless steel)	GA-AG-2	\$14.00
Neck strap with safety release	GA-NS-1	\$10.00
Short strap (6 in./15.2 cm)	GA-LY-1	\$5.00
Extension strap (4 ft./1.2 m)	GA-ES-1	\$35.00
Armband	GA-ARM-1	\$35.00
Chest harness	GA-CH-2	\$45.00

Datalogging Accessories and Options

	Order Number	Price (USD)
MultiMedia card	M5-MMC	\$32.00
USB memory card reader	CR-MMC-USB1	\$55.00



Concussion-Proof Boot
GA-BM5-2
*For GasAlertMicro 5 Series
pumped units*



Concussion-Proof Boot
GA-BM5-1
*For GasAlertMicro 5 Series
diffusion units*



Carrying Holster
GA-HM5
Fits securely on belt

Deluxe Confined Space Kit
M5-CK-DL
*Order detector and calibration
gas separately*



Power Accessories, Options and Spares	Order Number	Price (USD)
Alkaline battery pack, yellow*	M5-BAT0501	\$70.00
Alkaline battery pack, black*	M5-BAT0501B	\$70.00
Alkaline battery pack, European-style safety screws, yellow*	M5-BAT0502	\$70.00
Alkaline battery pack, European-style safety screws, black*	M5-BAT0502B	\$70.00
Lithium polymer rechargeable battery pack, yellow*	M5-BAT08	\$125.00
Lithium polymer rechargeable battery pack, black*	M5-BAT08B	\$125.00
Cradle charger and rechargeable battery pack, yellow*	M5-C01-BAT08	\$225.00
Cradle charger and rechargeable battery pack, black*	M5-C01-BAT08B	\$225.00
Cradle charger for rechargeable battery packs	M5-C01	\$170.00
Battery latch, replacement	M5-BL-1	\$6.00
12 Vdc vehicle adaptor cable for use with cradle charger (M5-C01)	GA-V-CHRG4	\$15.00

*Battery packs should be used with the new versions GasAlertMicro 5 Series gas detectors that have red circuit boards. See the Sensor Accessories, Spares and Replacements section for order information on batteries for the old version GasAlertMicro 5 Series gas detectors (green circuit boards).



Alkaline Battery Pack
M5-BAT0501/M5-BAT0501B
M5-BAT0502/M5-BAT0502B



Cradle Charger Kit with Battery
M5-C01-BAT08 / M5-C01-BAT08B
Complete with charger and rechargeable battery pack



Rechargeable Battery Pack
M5-BAT08/M5-BAT08B



Cradle Charger
M5-C01
Cradle charger for rechargeable battery packs



Replacement Battery Latch
M5-BL-1



Vehicle Adaptor 12 Vdc
GA-V-CHRG4
Vehicle adaptor cable for use with cradle charger (M5-C01)

GasAlertMicro 5 Series

5 - GAS DETECTOR

Sampling/Testing Equipment and Spares

	Order Number	Price (USD)
Test cap and hose (1.5 ft./0.5 m) replacement	M5-TC-1	\$12.00
Integral motorized pump kit		
- Yellow	M5-PUMP	\$150.00
- Black	M5-PUMPB	\$150.00
<i>Includes motorized pump cover, 1 ft./30 cm sample probe with hydrophobic barrier (water trap) and particulate filters, 5 ft./1.5 m sampling tubing, three spare particulate filters and one spare water trap filter.</i>		
Auxiliary pump filter compatible with hose	M5-QCONN-K1	\$12.00
Auxiliary pump filter		
- Kit of 5	M5-AF-K2	\$30.00
- Kit of 100	M5-AF-K2-100	\$385.00
MicroDock II automatic test and calibration system:		
- Base station and GasAlertMicro 5 Series docking module (charging) with charging cable	DOCK2-2-1C1K-00-N*	\$1,695.00
- Base station and GasAlertMicro 5 Series docking module (non-charging)	DOCK2-2-1J-00-N*	\$1,545.00
- GasAlertMicro 5 Series docking module (charging), no charging cable	DOCK2-0-1K-00-N	\$650.00
- GasAlertMicro 5 Series docking module (non-charging)	DOCK2-0-1J-00-N	\$550.00
<i>For complete MicroDock II system configuration information, see MicroDock II section.</i>		
Manual aspirator pump kit with probe (1 ft./0.3 m)	GA-AS02	\$85.00

For a complete list of sampling probes, hoses, accessories and spares, see Sampling Accessories section.

* Change order number suffix "-N" to: "-E" for European versions, "-U" for United Kingdom versions, "-A" for Australian versions.



Replacement Test Cap and Hose
M5-TC-1



Auxiliary Pump Filter with Hose Connector
M5-QCONN-K1



M5 Pump
M5-PUMP



Auxiliary Pump Filter
M5-AF-K2 / M5-AF-K2-100
Easily attaches with a quick connect fitting to provide additional pump protection



Replacement Diffusion Cover
M5-DC-1



Manual Aspirator Pump
GA-AS02
For remote sampling. Complete with probe, hose and aspirator pump

Sensor Spares and Replacements	Order Number	Price (USD)
Quad sensor screen filters, kit of 2	M5-SS	\$19.00
Alkaline battery pack (for use with GasAlertMicro 5 Series detectors with green circuit boards)	M5-BAT02	\$80.00
Alkaline battery pack (for use with GasAlertMicro 5 Series detectors with green circuit boards), European-style safety screws	M5-BAT03	\$80.00
Rechargeable lithium polymer battery pack (for use with GasAlertMicro 5 Series detectors with green circuit boards), yellow or black	M5-BAT07 M5-BAT07B	\$125.00 \$125.00
Replacement power supply for chargers	POWER-UPS-1	\$50.00
Replacement pump, yellow	M5-PR-1	\$130.00
Replacement pump, black	M5-PRB-1	\$130.00
Replacement diffusion cover, yellow	M5-DC-1	\$25.00
Replacement diffusion cover, black	M5-DCB-1	\$25.00
Replacement carbon dioxide (CO ₂) IR sensor	SR-B04	\$870.00
Replacement volatile organic compounds (VOC) PID sensor, 10.6eV	SR-Q07	\$665.00
Replacement electrode stacks for PID sensor (SR-Q07), kit of 2	M5PID-ES-1	\$25.00
Replacement PID lamp, (10.6eV) for PID sensor (SR-Q07)	RL-PID10.6	\$195.00
Cleaning kit for PID sensor	M5PID-CLN-K1	\$25.00
Replacement TwinTox sensor - carbon monoxide (CO) and hydrogen sulfide (H ₂ S)	D4-RHM04	\$295.00
Replacement hydrogen sulfide (H ₂ S) sensor	PS-RH04S	\$190.00
Replacement carbon monoxide (CO) sensor	PS-RM04	\$200.00
Replacement carbon monoxide (CO) sensor, H ₂ resistant	PS-RM04H	\$270.00
Replacement sulfur dioxide (SO ₂) sensor	PS-RS04	\$295.00
Replacement chlorine (Cl ₂) sensor	PS-RC10	\$295.00
Replacement hydrogen cyanide (HCN) sensor	PS-RZ10	\$295.00
Replacement nitrogen dioxide (NO ₂) sensor	PS-RD04	\$295.00
Replacement ammonia (NH ₃) sensor	SR-A04	\$395.00
Replacement phosphine (PH ₃) sensor	SR-P04	\$295.00
Replacement ozone (O ₃) sensor	SR-G04	\$485.00
Replacement chlorine dioxide (ClO ₂) sensor	SR-V04	\$295.00
Replacement combustible sensor with heavy duty silicone filter*	SR-W04	\$175.00
Replacement combustible sensor without heavy duty silicone filter*	SR-W04-UF	\$195.00
<i>*Advisory: Detectors are equipped on a standard basis with SR-W04 combustible sensors. This sensor includes a heavy duty silicone filter that make it ideal for use in environments that have known sources of silicone or vapors containing silicon. The SR-W04 silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38°C (100°F).</i>		
Replacement oxygen (O ₂) sensor	SR-X10	\$135.00
Dummy sensor for 3-pin O ₂ or 3-pin TwinTox locations	SR-DUMM1	\$25.00
Dummy sensor for LEL location	SR-DUMM2	\$25.00
Dummy sensor for PID location	SR-DUMM3	\$10.00

PID Cleaning Kit

M5PID-CLN-K1
For PID Sensors



Replacement 10.6 eV PID Lamp

RL-PID10.6
For PID Sensors



Replacement Electrode Stack

M5PID-ES-1
For PID Sensors



Replacement PID Sensor
SR-Q07



Replacement IR Sensor
SR-B04